

Mallcom

Product Presentation

Safety Shoes






International

**With Our Product Portfolio
You Are Always Into Safe Hands**

mallcom



Authorised Mallcom Dealer - UAE

Follow us on :   



📍 Add : 7, M44, Near Bank of Sharjah, Mussaffah Abu Dhabi, U.A.E

📞 **Contact : 0588934500** Email : info@vvpintl.com / Web : www.vpintl.com

KEY TO SYMBOLS

 <p>Impact resistance of 200 J</p>	 <p>Energy absorbing heel</p>	 <p>Hydrocarbon resistant sole</p>	 <p>Protection against metal</p>	 <p>Oil resistant sole</p>	 <p>Slip resistant sole</p>	 <p>Antistatic</p>
---	--	--	---	---	--	---



Material used

Upper: Barton print leather
Lining: Cambrelle, Nonwoven
Tongue: PU synthetic with foam padding
Collar: PU synthetic with foam padding
Sole: PU direct injected double density
Toecap: Steel (impact resistant 200 J)

Category/protective function:
S1 SRC

Average Size

Euro : 36 to 47
UK : 3-12

Color

Upper: black
Sole:
Mid Sole - Black
Out Sole - Grey

Standards:

EN ISO 20345:2011
IS -15298 (PART-2) : 2016

**Material used**

Upper: Black grain leather

Lining: Cambrelle, Natural split leather & Nonwoven

Tongue: PU coated Synthetic with padding

Collar: PU coated synthetic with padding

Sole: PU direct injected double density sole

Toecap: Steel (impact resistant 200 J)

Average Size

Euro : 36 to 47

UK : 3-12

Color

Upper: black

Sole:

Mid Sole - Black

Out Sole - Grey

Standards:

EN ISO 20345:2011

IS -15298 (PART-2) : 2016

**Material used****Upper: Barton grain leather****Lining: Black Synthetic Dri-lex****Footbed: Removable- polyamide on EVA****Toe Cap: Steel toe cap with an impact resistance of 200 Joules****Sole: Injected double density PU.****Category/protective function:**

S1 SRC

Average Size

Euro : 36 to 47

UK : 3-12

Color

Upper: Black

Sole:

Mid Sole - Black

Out Sole - Black

Standards:

EN ISO 20345:2011

IS -15298 (PART-2) : 2016



Material used

Upper: Barton grain leather

Lining: Black Synthetic Cambrelle

Collar: PU coated synthetic

Footbed: Removable- polyamide on EVA

Toecap: Steel toe cap with an impact resistance of 200 Joules

Sole: Injected double density PU.

Category/protective function:

S1 SRC

Average Size

Euro : 36 to 47

UK : 3-12

Color

Upper: Black

Sole

Mid sole: black

Out sole: grey

Standards:

EN ISO 20345:2011

IS -15298 (PART-2) : 2016

**Material used**

Upper: Barton Print Grain Leather

Lining: Cambrelle, , Leather & Non woven

Tongue: PU coated synthetic

Collar: PU coated synthetic

Sole: Polyurethane direct injected double density sole

Toecap: Steel (impact resistant 200 J)

Category/protective function:

S1 SRC

Average Size

UK : 3 to 12

Euro : 36-47

Color

Upper: Black

Sole

Mid sole : Black

Outsole: Grey

Standards:

EN ISO 20345:2011

IS -15298 (PART-2) : 2016



Material used

Upper: Black Corrected grain leather

Collar Lining: Airmesh grey

Sole: PU direct injected double density sole

Toecap: Steel (impact resistant 200 J)

Category/protective function:

S1 SRC

Average Size

Euro : 36 to 47

UK : 3-12

Color

Upper: Black

Sole:

Mid Sole - Black

Out Sole - Grey

Standards:

EN ISO 20345:2011

IS -15298 (PART-2) : 2016





Material used

Upper: Corrected Grain leather upper

Collar Lining: Airmesh Grey

Sole: PU direct injected double density sole

Toecap: Steel (impact resistant 200 J)

Category/protective function:
S1 SRC

Average Size
Euro : 36 to 47
UK : 3-12

Color

Upper: Black
Sole:
Mid Sole – Black
Out Sole - Grey

Standards:
EN ISO 20345:2011
IS -15298 (PART-2) : 2016

**Material used**

Upper: Burton grain leather
Lining: Black Synthetic cambrelle, Non woven
Tongue: Suede leather
Collar: PU coated synthetic
Sole: PU Double density
Toecap: Steel (impact resistant of 200 J)

Category/protective function:

S1 SRC

Average Size

Euro : 36 to 47

UK : 3-12

Color

Upper: Black

Sole

Mid sole: black

Out sole: grey

Standards:

EN ISO 20345:2011

IS -15298 (PART-2) : 2016

**Material used**

Upper: Barton grain leather
Lining: Black Synthetic Cambrielle,
Non woven
Collar: PU Foam padded
Black Synthetic Cambrelle
Footbed: Removable- polyamide on
EVA
Sole: Injected Double density PU
Toe cap: steel (impact resistant 200
J)

Category/protective function:
S1 SRC

Average Size
Euro : 36 to 47
UK : 3-12

Color
Upper: Black
Sole
Mid sole: black
Out sole: grey

Standards:
EN ISO 20345:2011
IS -15298 (PART-2) : 2016

**Material used**

Upper: Black barton print leather

Lining: Grey Cambrelle, Non woven, natural split

Tongue: PU Synthetic

Collar: PU Synthetic

Sole: Injected Double density sole

Toecap: Steel (impact resistant 200 J)

Category/protective function:

S1 SRC

Average Size

Euro : 36 to 47

UK : 3-12

Color

Upper: Black

Sole:

Mid Sole - Black

Out Sole - Grey

Standards:

EN ISO 20345:2011

IS -15298 (PART-2) : 2016

**Material used**

Upper: Black barton print leather

Lining: Grey Cambrelle, Non woven , natural split

Tongue: PU Synthetic

Collar: PU Synthetic

Sole: Injected Double density sole

Toecap: Steel (impact resistant 200 J)

Category/protective function:

S1 SRC

Average Size

Euro : 36 to 47

UK : 3-12

Color

Upper: Black

Sole:

Mid Sole - Black

Out Sole - Grey

Standards:

EN ISO 20345:2011

IS -15298 (PART-2) : 2016



- Upper: Water repellent Barton grain leather with Kevlar® stitching
- Footbed: Polyamide on EVA
- Toecap: Steel toe cap
- Metatarsal protected safety shoe
- Insert: Corrosion & penetration resistant steel insert
- Sole: PU Dual density sole
- Stitching: Para aramid thread stitched shoe

Colour- Upper: Black
Mid sole: Black
Out sole: Grey

Applied Standards:

EN ISO 20345:2022
EN 15298:2016 Part 2



**Material used**

Upper: Grain barton print leather

Lining: Synthetic mesh with leather heel grip

Footbed: Removable- polyamide on EVA

Sole: Injected Double density PU.

Toe Cap: Steel (impact resistance 200 J)

Category/protective function:

S1 SRC

Average Size

Euro : 36 to 47

UK : 3-12

Color

Upper: black

Sole:

Mid Sole - Black

Out Sole - Grey

Standards:

EN ISO 20345:2011

IS -15298 (PART-2) : 2016

**Material used**

Upper: Brown nubuck leather,
Synthetic grey

Lining: Airmesh yellow

Sole: PU direct injected double
density sole

Toecap: Steel (impact resistant 200
J)

Category/protective function:

S1 SRC

Average Size

Euro : 36 to 47

UK : 3-12

Color

Upper: Brown & Grey

Sole:

Mid Sole - Black

Out Sole - Grey

Standards:

EN ISO 20345:2011

IS -15298 (PART-2) : 2016





Upper: Black nubuck & Grey suede leather with Synthetic silver grey.
Tongue : Synthetic silver grey
Lining: Airmesh orange
Sole: PU direct injected double density.
Toecap: Steel (impact resistant 200 J)

Category/protective function:
S1 SRC

Average Size

Euro : 36 to 47
UK : 3-12

Color

Upper: Black and Grey
Sole:
Mid Sole – Black
Out Sole - Grey

Standards:

EN ISO 20345:2011
IS -15298 (PART-2) : 2016

**Material used**

Upper: Knitted Polyester
Collar lining: Airmesh black
Sole: Polyurethane direct injected
double density sole (Oliver)
Toecap: Composite toe cap (impact
resistant 200 J)
Sole insert: TPU shock absorber
heel patch

Category/protective function:
S1 SRC

Average Size


Euro : 39 to 46
UK : 6-11

Color

Upper: Grey & Black blended
Mid sole: Black
Out sole: Grey

Standards:

EN ISO 20345:2011
IS -15298 (PART-2) : 2016



High Ankle Grain Leather

- Meena print grain black leather upper high ankle shoe. Boot with direct injected double density PU.
- High ankle safety shoe with black Meena print grain leather upper
- 200 J impact-resistant steel toe cap
- Grey air mesh lining
- Double Density PU outsole

Category/protective function:
S1 SRC

Average Size

Euro : 36 to 47

UK : 3-12

Color

Upper: black

Sole:

Mid Sole - Black

Out Sole - Grey

Standards:

EN ISO 20345:2011

IS -15298 (PART-2) : 2016



Resistant to mild
Acid/Alkaline up to 20%
concentration

*Black PVC rain boots with
100J impact resistant Steel toe
cap and Excellent fitting
Non slippery sole
Highly comfortable
Skin friendliness*

Material used**Upper:**

Collar : PVC

Vamp: PVC

Quarter : PVC

Counter: PVC

Lining:

Vamp Lining: Nylon fabric

Quarter Lining: Nylon fabric

Sole: double density PVC out sole**Toecap:** Steel**Class:**

2

Average Size

39 to 44

Color

Upper: Black

Mid Sole : Black

Outsole: Grey

Standards:

BIS – IS 12254 :1993



OCCUPATIONAL FOOTWEAR

*Black easy clean microfiber
upper with synthetic mesh lined
low ankle footwear with
double density PU injected sole*

*Removable EVA foot bed,
Cleated PU sole ,
Energy absorbent heel
Antistatic
Slip and Oil resistant sole*

Material used

Upper: Black microfiber
Lining: Mesh nylon black
Tongue: Microfiber black
Collar: Micro fiber black
Sole: Polyurethane direct
injected double density sole
Toecap: Plastic

Category/protective function:
O2 SRC

Average Size

Euro : 36 to 47
UK : 3-12

Color

Upper: Black
Mid Sole: Black
Out sole: Black

Standards:

EN ISO 20347:2012
IS 15298:2017 PART 4

**Material used**

Upper: Suede leather and nylon orange

Dri-lex (breathable)

Lining: Grey Air-mesh

Foot bed: Removable- polyamide on EVA

Toecap: steel (impact resistant 200 J)

Sole: Injected Double density PU.

Category/protective function:

S1 SRC

Average Size

Euro : 36 to 47

UK : 3-12

Color

Upper: grey suede

Sole

Mid sole: black

Out sole: grey

Standards:

EN ISO 20345:2011

IS -15298 (PART-2) : 2016

**Material used**

Upper: Black nubuck leather, Grey suede leather, Synthetic silver grey

Lining: Airmesh orange

Sole: PU direct injected double density sole

Toecap: Steel (impact resistant 200 J)

Category/protective function:

S1 SRC

Average Size

Euro : 36 to 47

UK : 3-12

Color

Upper: black-grey

Sole:

Mid Sole - Black

Out Sole - Grey

Standards:

EN ISO 20345:2011

IS -15298 (PART-2) : 2016



Low Ankle and high Ankle Heat resistance and Water repellent



- Barton grain leather upper.
- Lining is synthetic or with split leather
- Foot bed is on Latex/Removable polyamide in EVA
- Steel toe cap
- Corrosion & penetration resistant steel insert
- Double density outsole – with PU midsole & Rubber outsole
- 250 degree C Contact heat (HRO) resistant

Category/protective function – S3 SRC

GENERAL DESIGNATION:

IS 15298:2016 (Part 2)

EN ISO 20345:2011

Barton grain leather ankle safety footwear
with PU midsole and Rubber out sole

Available sizes- 36 to 47

Colour- Upper Black,
Mid sole: Black
Outsole – Grey





EXCLUSIVE
**BUY
NOW**



VVP International

Authorised Mallcom Dealer -UAE

Thank You



VVP International

Order at 058 893 4500

Safety Shoes , Helmet,
Coverall, Vest and many more
products & Safety Equipment

www.VVPintl.com